



Trade waste pre-treatment product application certificate

Sydney
WATER

Product Type: Bucket Trap

Applicant:	3monkeez Pty Ltd	Attention:	Alicia Reardon
Postal address:	6/24 Wellington St Riverstone NSW 2765	Web:	https://3monkeez.com.au/
Business Phone	0296276111 / 0428090983	Email:	alicia@3monkeez.com.au
Manufacturer:	3monkeez Pty Ltd	Product Model No:	FW-100BRL, FW-100VR, FW-150BR, FW-150BS, SSBW, SSBW-1
Address:	6/24 Wellington St Riverstone NSW 2765	Product Sizes:	100mm, 150mm, 90mm, 127mm
Date of Approval	August 2023	Validity Period	Five (5) years from the Date of Approval

Approved Documents:

1. FW - Floor Waste Installation Instructions
2. FW-100BRL 230501
3. FW-100BRL Watermark Sticker 2022
4. FW-100BRL_datasheet
5. FW-100VR_datasheet
6. FW-150BR 230501
7. FW-150BR_datasheet
8. FW-150BS 230501
9. FW-150BS_datasheet
10. FW-300S-316 - RB22-7867-01-Rev01 - Class A
11. QMS_44151_Certificate_220310_3monkeez
12. SSBW 221010
13. SSBW SSBW-3 and SSBW-1 Installation Instructions
14. SSBW_datasheet
15. SSBW-1 221011
16. SSBW-1_datasheet
17. Sydney Water Re Appraisal.xlsx
18. WA Water Corp Approval Certificate - AN-029 - Sink Wastes
19. WA Water Corp Approval Certificate - AN-030 - Floor Wastes
20. WMK_23097_WMTS_040_Exp150526

Notice of Relevant Standards

As part of the approval process, Sydney Water notifies the Applicant of its obligation to comply with relevant WSAA/Australian Standards including compliance with:

- AS 1589 - Copper and copper alloy waste fittings
- AS 5200 - Technical specification for plumbing and drainage products
- AS 3996 - Access covers and grates



- AS/NZS 3500 Set (Parts 0-4) - Plumbing and drainage Set
- AS/NZS 4494 - Discharge of commercial and industrial liquid waste to sewer - General performance requirements
- MP 52 - Manual of authorization procedures for plumbing and drainage products
- Australian Building Codes Board WMTS-040 - Waste pipe connection outlets and gratings, separate or integral

These products are approved for use as in-sink and in-floor bucket traps for trade waste generating industries.

The approval certificate applies to pre-treatment products of the following sizes:

Approval Number	Make	Model	Material			Pipe Size (mm)
			Body	Grate	Basket	
TWPA-17	Scraptrap Round Drop In-Floor Waste Arrestor	FW-100BRL	SS	SS	SS	100
TWPA-17	Scraptrap Square Floor Waste Arrestor	FW-100VR	Brass	Chrome plated brass	SS	100
TWPA-17	Scraptrap Round Floor Waste Arrestor	FW-150BR	SS	SS	SS	150
TWPA-17	Scraptrap Square Floor Waste Arrestor	FW-150BS	SS	SS	SS	150
TWPA-17	Scraptrap Sink Waste Arrestor	SSBW	SS	SS Plug	SS	90
TWPA-17	Scraptrap Sink Waste Arrestor	SSBW-1	SS	SS Plug	SS	127

Product description

The 3Monkeez in-floor industrial waste arrestors are intended to be fitted to commercial or industrial drains to capture and retain solid waste that would normally finish in the sewerage system.

Solid waste is captured in a perforated basket contained within the main body of the arrestor device. Retained solids are then removed to waste. A fixed perforated screen to the bottom of the main body prevents any solid waste entering the sewer if the basket is accidentally or deliberately left out of the arrestor device.

All of the products carry the WaterMark accreditation as authorised by SAI Global.

Conditions of approval

1. The product shall be supplied with manufacturer's installation instructions and recommended procedures for operation and maintenance.
2. The product shall be installed by a suitably qualified plumber and strictly in accordance with the manufacturer's written instructions and the Plumbing Standards.



3. This approval certificate is not a stand-alone document and must be read in conjunction with relevant standards.
4. A maintenance contract is to be in place to ensure the ongoing reliability of the product.
5. Sydney Water must be notified within fourteen (14) days upon installation of the product
6. The product chosen must be suitably sized to avoid surge conditions.
7. Clear access for the purposes of maintenance or servicing of the pre-treatment product must always be maintained.
8. This approval certificate is not an endorsement of the product by Sydney Water, and no claim shall be made in advertising, promotion, or other manner to the effect.
9. Sydney Water accepts no responsibility for the effective operation, performance, or efficiency of the product. This approval is not an engineering approval or structural endorsement.
10. The proponent of the approved product must formally seek a request for re-approval of the product no later than three (3) months before the assigned Validity Period has expired from the Date Issued of this approval certificate.
11. Sydney Water reserves the right to vary any requirements at any time. Any application of this condition normally occurs after consultation with the manufacturer, supplier and end business user connected to Sydney Water's sewer.
12. Sydney Water shall be notified in writing if the product is withdrawn from sale.
13. The proponent of the approved product accepts that the information provided in this document shall be made available to public.
14. Product approval shall be suspended by formal notice from Sydney Water to the applicant where any of the following conditions (a)-(h) are not met (following suspension, the product listing will then be immediately removed from the Sydney Water website):
 - a) Any change, or failing to notify Sydney Water of any change, to the product design or details as contained in the Approval Documents listed below.
 - b) If there is a breach of the Special Conditions.
 - c) The assigned Validity Period has expired from the Date Issued of this approval certificate.
 - d) The product shall be manufactured in accordance with Sydney Water's requirements at the time of approval.
 - e) The product shall be manufactured to comply according to the details noted in the referenced drawings below, in addition to any further details provided by the proponent when seeking this approval.
 - f) The product supplied for use in Sydney Water's area of operations shall comply with the requirements shown on this approval certificate. Sizes, classes, lengths or other product variables which are available with the product, but which are not approved as listed on this approval certificate shall not be offered by the supplier for use in Sydney Water's area of operations.
 - g) All discharges to sewer associated with this product must not exceed Sydney Water's Trade Waste Acceptance Criteria.



- h) If this certificate has been issued to the manufacturer of this product then it is the responsibility of the manufacturer to ensure all current and future suppliers / vendors of this product are provided a copy of this approval certificate.
- i) Notification to Sydney Water within 14 days by Applicant (of the product where any of the following conditions occur:
 - i. The product is manufactured with either different materials, methods of manufacture, location of manufacture, source of raw materials, component subcontractors or models to that at the time of approval.
 - ii. The ownership of the primary manufacturer or any subcontractors is varied from that at time of approval.
 - iii. The standards and/or specifications to which the product was required to comply with at the time of approval have been amended or revised.
 - iv. The product has been found to sustain damage or provide unsatisfactory performance on occasions of number considered excessive by Sydney Water, when handled, stored, assembled, or installed in accordance with the supplier's or manufacturer's written instructions.

Authorising person: Adam Silk

Date issued: 1/08/2023

Authorising person	Position, division	Date
Adam Silk	Engineer, Specialist Engineering	1/08/2023



Product Type: Bucket Trap

Applicant:	3monkeez Pty Ltd	Attention:	Alicia Reardon
Postal address:	6/24 Wellington St Riverstone NSW 2765	Web:	https://3monkeez.com.au/
Business Phone	0296276111 / 0428090983	Email:	alicia@3monkeez.com.au
Manufacturer:	3monkeez Pty Ltd	Product Model No:	See list below
Address:	6/24 Wellington St Riverstone NSW 2765	Product Sizes:	See list below
Date of Approval	November 2023	Validity Period	Five (5) years from the Date of Approval

Approved Documents:

1. FW - Floor Waste Installation Instructions
2. FW100BRL304_and_FW100BRL316_220831
3. FW100VRBT_304_and_316_220907
4. FW100VRBT_220905
5. FW150BR304_and_FW150BR316_220912
6. FW150BS304_and_FW150BS316_220913
7. FW200BS150304_and_FW200BS150316_220914
8. FW200BSM304_and_FW200BSM316_220914
9. FW200VRBT150304_and_FW200VRBT150316_220919
10. FW225BS304_and_FW225BS316_220920
11. FW225BS150304_and_FW225BS150316_220920
12. FW250BS304_and_FW250BS316_220921
13. FW250BS150304_and_FW250BS150316_220921
14. FW300BS304_and_FW300BS316_220923
15. FW300BS150304_and_FW300BS150316_220923
16. QMS 44151 Certificate 22-03-10 3monkeez
17. Scrap-S and Scrap-S-316 221010
18. SCRAP-S-50 and SCRAP-S-50-316 221010
19. SCRAP-S-50-316 - 50mm Cast Stainless Scraptrap Installation Instructions
20. SCRAP-S-90 and SCRAP-S - Cast Stainless Scraptrap Installation Instructions
21. Scrap-S-90 and Scrap-S-90-316 221010
22. SSBW3_220209
23. SSBW3_Installation_Instructions_2022
24. SSBW40_40mm_Scraptrap_Installation_Instructions
25. SSBW40_210115
26. SSBW50_50mm_Scraptrap_Installation_Instructions
27. SSBW50_221013
28. SSDBW_Smart_Sink_Waste_Installation_Instructions
29. SSDBW_221018
30. WMK 23097 WMTS 040 Exp150526



Notice of Relevant Standards

As part of the approval process, Sydney Water notifies the Applicant of its obligation to comply with relevant WSAA/Australian Standards including compliance with:

- AS 1589 - Copper and copper alloy waste fittings
- AS 5200 - Technical specification for plumbing and drainage products
- AS 3996 - Access covers and grates
- AS/NZS 3500 Set (Parts 0-4) - Plumbing and drainage Set
- AS/NZS 4494 - Discharge of commercial and industrial liquid waste to sewer - General performance requirements
- MP 52 - Manual of authorization procedures for plumbing and drainage products
- Australian Building Codes Board WMTS-040 - Waste pipe connection outlets and gratings, separate or integral

These products are approved for use as in-sink and in-floor bucket traps for trade waste generating industries.

The approval certificate applies to pre-treatment products of the following sizes:



Trade waste pre-treatment product application certificate

Sydney **WATER**

Model	Make	Material			Pipe Size (mm)
		Body	Grate	Basket	
FW-100BRL-304	Scraptrap Round Drop In-Floor Waste Arrestor	SS	SS	SS	100
FW-100BRL-316	Scraptrap Round Drop In-Floor Waste Arrestor	Brass	SS	SS	100
FW-100VRBT-304	Scraptrap 150mm Round Floor Waste Arrestor - Suit Vinyl Floor	SS	SS	SS	100
FW-100VRBT-316	Scraptrap 150mm Round Floor Waste Arrestor - Suit Vinyl	SS	SS	SS	100
FW-150BR-304	Scraptrap 150mm Round Floor Waste Arrestor	SS	SS	SS	100
FW-150BR-316	Scraptrap 150mm Round Floor Waste Arrestor	SS	SS	SS	100
FW-150BS-304	Scraptrap 150mm Square Floor Waste Arrestor	SS	SS	SS	100
FW-150BS-316	Scraptrap 150mm Square Floor Waste Arrestor	SS	SS	SS	100
FW-200BSM-304	Scraptrap 200mm Square Floor Waste Arrestor	SS	SS	SS	100
FW-200BSM-316	Scraptrap 200mm Square Floor Waste Arrestor	SS	SS	SS	100
FW-225BS-304	Scraptrap 225mm Square Floor Waste Arrestor	SS	SS	SS	100
FW-225BS-316	Scraptrap 225mm Square Floor Waste Arrestor	SS	SS	SS	100
FW-250BS-304	Scraptrap 250mm Square Floor Waste Arrestor	SS	SS	SS	100
FW-250BS-316	Scraptrap 250mm Square Floor Waste Arrestor	SS	SS	SS	100
FW-300BS-304	Scraptrap 300mm Square Floor Waste Arrestor	SS	SS	SS	100
FW-300BS-316	Scraptrap 300mm Square Floor Waste Arrestor	SS	SS	SS	100
FW-200BS-150-304	Scraptrap 200mm Square Floor Waste Arrestor - Suit 150mm Pipe	SS	SS	SS	150
FW-200BS-150-316	Scraptrap 200mm Square Floor Waste Arrestor - Suit 150mm Pipe	SS	SS	SS	150
FW-200VRBT-150-304	Scraptrap 200mm Round Floor Waste Arrestor - Suit Vinyl Floor - Suit 150mm Pipe	SS	SS	SS	150
FW-200VRBT-150-316	Scraptrap 200mm Round Floor Waste Arrestor - Suit Vinyl Floor - Suit 150mm Pipe	SS	SS	SS	150
FW-225BS-150-304	Scraptrap 225mm Square Floor Waste Arrestor - Suit 150mm Pipe	SS	SS	SS	150
FW-225BS-150-316	Scraptrap 225mm Square Floor Waste Arrestor - Suit 150mm Pipe	SS	SS	SS	150
FW-250BS-150-304	Scraptrap 250mm Square Floor Waste Arrestor - Suit 150mm Pipe	SS	SS	SS	150
FW-250BS-150-316	Scraptrap 250mm Square Floor Waste Arrestor - Suit 150mm Pipe	SS	SS	SS	150
FW-300BS-150-304	Scraptrap 300mm Square Floor Waste Arrestor - Suit 150mm Pipe	SS	SS	SS	150
FW-300BS-150-316	Scraptrap 300mm Square Floor Waste Arrestor - Suit 150mm Pipe	SS	SS	SS	150
FW-100VRBT	Scraptrap 150mm Round Floor Waste Arrestor - Suit Vinyl Floor	SS	SS	SS	100
FW-200BS-304	Scraptrap 200mm Square Floor Waste Arrestor	SS	SS	SS	100
FW-200BS-316	Scraptrap 200mm Square Floor Waste Arrestor	SS	SS	SS	100
SCRAP-S	Scraptrap Sink Waste Arrestor - Cast S/S - Suit 127mm Outlet	SS	SS	SS	50
SCRAP-S316	Scraptrap Sink Waste Arrestor - Cast S/S - Suit 127mm Outlet	SS	SS	SS	50
SCRAP-S-50	Scraptrap Sink Waste Arrestor - Cast S/S - Suit 50mm Outlet	SS	SS	SS	50
SCRAP-S-50-316	Scraptrap Sink Waste Arrestor - Cast S/S - Suit 50mm Outlet	SS	SS	SS	50
SCRAP-S-90	Scraptrap Sink Waste Arrestor - Cast S/S - Suit 90mm Outlet	SS	SS	SS	50
SCRAP-S-90-316	Scraptrap Sink Waste Arrestor - Cast S/S - Suit 90mm Outlet	SS	SS	SS	50
SSBW-3	Scraptrap Sink Waste Arrestor - Suit 90mm Outlet	PP	SS	SS	50
SSBW-40	Scraptrap Sink Waste Arrestor - Suit 40mm Outlet	ABS	SS	SS	40
SSBW-50	Scraptrap Sink Waste Arrestor - Suit 50mm Outlet	ABS	SS	SS	50
SSDBW	Scraptrap Sink Waste Arrestor - Suit 90mm Outlet	PC + ABS	SS	SS	50



Product description

The 3Monkeez in-floor industrial waste arrestors are intended to be fitted to commercial or industrial drains to capture and retain solid waste that would normally finish in the sewerage system.

Solid waste is captured in a perforated basket contained within the main body of the arrestor device. Retained solids are then removed to waste. A fixed perforated screen to the bottom of the main body prevents any solid waste entering the sewer if the basket is accidentally or deliberately left out of the arrestor device.

All of the products carry the WaterMark accreditation as authorised by SAI Global.

Conditions of approval

1. The product shall be supplied with manufacturer's installation instructions and recommended procedures for operation and maintenance.
2. The product shall be installed by a suitably qualified plumber and strictly in accordance with the manufacturer's written instructions and the Plumbing Standards.
3. This approval certificate is not a stand-alone document and must be read in conjunction with relevant standards.
4. A maintenance contract is to be in place to ensure the ongoing reliability of the product.
5. Sydney Water must be notified within fourteen (14) days upon installation of the product
6. The product chosen must be suitably sized to avoid surge conditions.
7. Clear access for the purposes of maintenance or servicing of the pre-treatment product must always be maintained.
8. This approval certificate is not an endorsement of the product by Sydney Water, and no claim shall be made in advertising, promotion, or other manner to the effect.
9. Sydney Water accepts no responsibility for the effective operation, performance, or efficiency of the product. This approval is not an engineering approval or structural endorsement.
10. The proponent of the approved product must formally seek a request for re-approval of the product no later than three (3) months before the assigned Validity Period has expired from the Date Issued of this approval certificate.
11. Sydney Water reserves the right to vary any requirements at any time. Any application of this condition normally occurs after consultation with the manufacturer, supplier and end business user connected to Sydney Water's sewer.
12. Sydney Water shall be notified in writing if the product is withdrawn from sale.
13. The proponent of the approved product accepts that the information provided in this document shall be made available to public.
14. Product approval shall be suspended by formal notice from Sydney Water to the applicant where any of the following conditions (a)-(h) are not met (following suspension, the product listing will then be immediately removed from the Sydney Water website):
 - a) Any change, or failing to notify Sydney Water of any change, to the product design or details as contained in the Approval Documents listed below.
 - b) If there is a breach of the Special Conditions.



- c) The assigned Validity Period has expired from the Date Issued of this approval certificate.
- d) The product shall be manufactured in accordance with Sydney Water's requirements at the time of approval.
- e) The product shall be manufactured to comply according to the details noted in the referenced drawings below, in addition to any further details provided by the proponent when seeking this approval.
- f) The product supplied for use in Sydney Water's area of operations shall comply with the requirements shown on this approval certificate. Sizes, classes, lengths or other product variables which are available with the product, but which are not approved as listed on this approval certificate shall not be offered by the supplier for use in Sydney Water's area of operations.
- g) All discharges to sewer associated with this product must not exceed Sydney Water's Trade Waste Acceptance Criteria.
- h) If this certificate has been issued to the manufacturer of this product then it is the responsibility of the manufacturer to ensure all current and future suppliers / vendors of this product are provided a copy of this approval certificate.
- i) Notification to Sydney Water within 14 days by Applicant (of the product where any of the following conditions occur:
 - i. The product is manufactured with either different materials, methods of manufacture, location of manufacture, source of raw materials, component subcontractors or models to that at the time of approval.
 - ii. The ownership of the primary manufacturer or any subcontractors is varied from that at time of approval.
 - iii. The standards and/or specifications to which the product was required to comply with at the time of approval have been amended or revised.
 - iv. The product has been found to sustain damage or provide unsatisfactory performance on occasions of number considered excessive by Sydney Water, when handled, stored, assembled, or installed in accordance with the supplier's or manufacturer's written instructions.

Authorising person: Adam Silk

Date issued: 7/11/2023

Authorising person	Position, division	Date
Adam Silk	Engineer, Specialist Engineering	7/11/2023