





www.3monkeez.com.au sales@3monkeez.com.au



3monkeez° MISSION STATEMEN

Put people first. Build a great product. Reinvent industry expectations.

At 3monkeez, we understand that building a great quality and reliable product is only part of the story.

We provide an experience for our customers that exceeds expectations and makes us a trusted supplier of commercial plumbing and catering products across Australia. By putting people first our highly trained team can not only provide the right product and support, they also work closely with our customers to build long-lasting and rewarding relationships.

Through our commitment to manufacturing exceptional products and offering an unmatched experience for our customers we always strive to exceed and reinvent customer expectations when it comes to dealing with 3monkeez.









People are at the centre of everything we do. We provide industry leading customer service with a highly trained team of professionals available across Australia.



As a supplier of commercial stainless steel products for over 30 years the quality of our products matter to us. Our products will always provide creative and reliable solutions.



We are committed to providing innovative solutions that exceed customer expectations through our customer service, products, resources and unbeatable delivery times.

The Stainless Steel Advantage

Contents

In2Gr8 – V Bottom 50 Series	4	Floor Trough 2
In2Gr8 – V Bottom 75 Series	5	Floor Grate & Frame
In2Gr8 – V Bottom 100 Series	6	Floor Trough 4
In2Gr8 – V Bottom 125 Series	7	Floor Trough 5
In2Gr8 – V Bottom 150 Series	8	Smart Trough
In2Gr8 – Flat Bottom 75 Series	9	Floor Sump
In2Gr8 – Flat Bottom 100 Series	10	Grating Profiles
100mm Square Tile Insert Point Drain	11	Wedge Wire Grates to suit M-FT-7 and M-FT-8
130mm Square Tile Insert Point Drain	12	Wedge Wire G100
Stainless Steel Tile Insert Point Drain	13	Wedge Wire G200
130mm Wedge Wire Point Drain	15	Wedge Wire G300
Floor Trough 1	16	Dimpled Wedge Wire G300




3monkeez.com.au




In2Gr8 - V Bottom 50 Series

M-FT-7-050 (with G200 grate)

- Manufactured using 316 grade stainless steel
- Available in kit form or pre-fabricated to your requirement
- Kit form includes a hole saw and sealant
- 38mm outlet
- G200 wedge wire grate
- Corners available 45 degree or 90 degre
- Joining strips available for continuous runs
- Typically used in showers, bathroom areas, balconies, courtyards and swimming pool areas
- Short lead times







Grate

Outlet









Joining Strip

Corner














In2Gr8 - V Bottom 100 Series

M-FT-7-100 (with G200 grate or tile insert) Profile

- Manufactured using 316 grade stainless steel
- Available in kit form or pre-fabricated to your requirement
- Kit form includes a hole saw and sealant
- 38mm, 50mm, 76mm or 89mm outlet
- Optional fixed and removable strainer
- Either G200 wedge wire grate or tile insert
- Corners available 45 degree or 90 degree
- Joining strips available for continuous runs
- Typically used in showers, bathroom areas, balconies, courtyards and swimming pool areas
- Short lead times







Channel



Grate

End Cap



Tile Insert

Tray Depth 10.4mm



Outlet



Joining Strip





Fixed and Removable Strainers



Corner







In2Gr8 - V Bottom 125 Series

M-FT-7-125 (with G300 grate)

- Manufactured using 316 grade stainless steel
- Available in kit form or pre-fabricated to your requirement
- Kit form includes a hole saw and sealant
- 89mm outlet
- Optional fixed and removable strainer
- G300 wedge wire grate
- Joining strips available for continuous runs
- Typically used in driveway areas, balconies, courtyards and swimming pool areas
- Short lead times







Channel

Grate

Outlet





End Cap



Fixed and Removable Strainers





Joining Strip








In2Gr8 - V Bottom 150 Series

M-FT-7-150 (with G300 grate)

- Manufactured using 316 grade stainless steel
- Available in kit form or pre-fabricated to vour requirement
- Kit form includes a hole saw and sealant
- 89mm outlet
- Optional fixed and removable strainer
- G300 wedge wire grate
- Joining strips available for continuous runs
- Typically used in driveway areas, balconies, courtyards and swimming pool areas
- Short lead times



157.2 153.2 150.8 1.2 R1.3 Π




Channel



Grate

Outlet







Fixed and Removable Strainers






Joining Strip












In2Gr8 - Flat Bottom 100 Series


M-FT-8-100 (with G200 grate or tile insert)

- Manufactured using 316 grade stainless steel
- Available in kit form or pre-fabricated to your requirement
- Kit form includes a hole saw and sealant
- 38mm, 50mm, 76mm or 89mm outlet
- Optional fixed and removable strainer
- Either G200 wedge wire grate or tile insert
- Corners available 45 degree or 90 degree
- Joining strips available for continuous runs
- Typically used in showers, bathroom areas, balconies, courtyards and swimming pool areas
- Short lead times














Tile Insert

Tray Depth



Outlet



Joining Strip





Corner



Fixed and Removable

3monkeez.com.au





End Cap

Strainers




100mm Square Tile Insert Point Drain


FW-100TI-50 (50mm outlet)

- Slimline for easy installation
- Removable tray






Front



Cross Section








130mm Square Tile Insert Point Drain

WARRANTY

FW-130TI (103.1mm outlet) **FW-130TI-80** (73.9mm outlet)

- Slimline for easy installation
- Removable tray






Front

Тор



Cross Section




Stainless Steel Tile Insert Point Drains

FW-100STI


(100mm Square - 50mm Outlet)


- Slimline for easy installation
- 1.5mm 304 grade stainless steel
- Removable tray





Front












Stainless Steel Tile Insert Point Drains

FW-130STI

(130mm Square - 100mm Outlet) **FW-130STI-80**


(130mm Square - 74mm Outlet)

- Slimline for easy installation
- 1.5mm 304 grade stainless steel
- Removable tray











FW-130STI-80



FW-130STI

Cross Section









FW-130WWI

- Slimline for easy installation
- Removable grate
- G200 profile grate
- 89mm spigot
- 316 grade stainless steel
- In stock and available for immediate deliverv
- Custom sizes available on request - lead times apply




Front



Side

Top










Floor Trough 1

M-FT-1

- Manufactured to required length and width, using a choice of either 304 or 316 grade stainless steel
- Optional fixed secondary strainer and removable strainer basket
- Size and position of the outlet is manufactured to the customer's requirements
- Typically used for commercial applications
- Manufactured with your choice of grating
- Loading as required
- Custom made product incurs a lead time





Wedge Wire





Floor Trough 2


M-FT-2

- Manufactured to required length and width, using a choice of either 304 or 316 grade stainless steel
- Optional fixed secondary strainer and removable strainer basket
- Size and position of the outlet is manufactured to the customer's requirements
- Typically used for commercial applications
- Manufactured with your choice of grating
- Loading as required
- Custom made product incurs a lead time

Тор











Floor Grate & Frame

M-FT-3


- Manufactured to required length and width, using a choice of either 304 or 316 grade stainless steel
- Ideal for both light and heavy duty applications
- Manufactured with your choice of grating
- Loading as required
- Custom made product incurs a lead time







Cross Section









Floor Trough 4

M-FT-4


- Manufactured to required length and width, using a choice of either 304 or 316 grade stainless steel
- Optional fixed secondary strainer and removable strainer basket
- Size and position of the outlet is manufactured to the customer's requirements
- Typically used for commercial applications
- Manufactured with your choice of grating
- Loading as required
- Custom made product incurs a lead time



Front



Cross Section














Floor Trough 5


M-FT-5

- Manufactured to required length and width, using a choice of either 304 or 316 grade stainless steel
- Size and position of outlet is manufactured to the customer's requirements
- Typically used in showers, bathrooms and balcony areas
- Manufactured with your choice of grating
- Loading as required
- Custom made product incurs a lead time



Bottom








Smart Trough

M-FT-6


- Manufactured to required length and width, using a choice of either 304 or 316 grade stainless steel
- Size and position of outlet is manufactured to the customer's requirements
- Tile tray depth can be modified to your requirement
- Typically used in showers, bathrooms and tiled balcony areas
- Accepts a tile finish
- Custom made product incurs a lead time



Тор




Front



Bottom



Cross Section







Floor Sump


M-FS-1


- Manufactured to required length and width, using a choice of either 304 or 316 grade stainless steel
- Optional fixed secondary strainer and removable strainer basket
- Typically used in commercial or industrial settings, as well as food preparation areas
- Manufactured with your choice of grating
- Loading as required
- Custom made product incurs a lead time














Top

Front



Grating Profiles

M-SBGO (square bar)

- Modern lineal design
- Robust
- Designed for domestic and commercial applications
- Manufactured to required length and width, using a choice of either 304 or 316 grade stainless steel
- Light to heavy duty
- Grate manufactured from 6mm or 10mm stainless steel square bar

M-SBGO



M-WWGO (wedge wire)

- Unique self-cleaning design
- Manufactured to required length and width, using a choice of either 304 or 316 grade stainless steel
- Aesthetically pleasing design
- Loading as required
- Three profiles available (WW-G100, WW-G200 and WW-G300)

M-WWGO





Grating Profiles

M-LCGO-SLOT

- Modern lineal design
- Robust
- Designed for domestic and commercial applications
- Manufactured to required length and width, using a choice of either 304 or 316 grade stainless steel
- Light to heavy duty
- Grate manufactured from 4mm or 10mm stainless steel laser cut

M-LCGO-SLOT



M-LCGO-ANGLED

- Modern lineal design
- Robust
- Designed for domestic and commercial applications
- Manufactured to required length and width, using a choice of either 304 or 316 grade stainless steel
- Light to heavy duty
- Grate manufactured from 4mm or 10mm stainless steel laser cut

M-LCGO-ANGLED






NARRAN'

Wedge Wire Grates To Suit In2Gr8

- Manufactured using 316 grade stainless steel
- Lengths ranging from 900mm 2400mm
- Typically used in showers, bathroom areas, balconies, courtyards and swimming pool areas




- not rolled

	1	1


Wedge Wire G100

WW-G100-304 (304 grade)


- WW-G100-316 (316 grade)
- Wire Size 2.25mmW x 3.50mmH. Gap 5.00mm
- Support Bars 3.00mmW x 6.25mmH. Gap 16.00mm
- Convenient sheet size minimises wastage - 2400mm x 727mm
- 304 or 316 grade stainless steel
- Versatile and long lasting
- Flat bed manufacturing technique
- Available off the shelf




Side



Bottom









- wastage 2400mm x 727mm
- 304 or 316 grade stainless steel
- Flat bed manufacturing technique - not rolled

1


I

1

Available off the shelf

1 I

1 1



Bottom

Top

Ш

Ш

Ш

Ш

Ш

TI

Ш

Ш

Ш

Ш

Ш

Ш

Ш

Π

Ш

Ш

Ш

Ш

Ш

Ш

23

Ш

Ш Ć

Ш

Ш


Ш

0.5

ъ,

ć

3



3monkeez.com.au

Grates & Drains

Wedge Wire G200

WW-G200-304 (304 grade)

WW-G200-316 (316 grade)

- Wire Size 3.05mmW x 4.25mmH. Gap 3.55mm
- Support Bars 3.00mmW x 6.25mmH. Gap 23.00mm
- Convenient sheet size minimises



Versatile and long lasting







- wastage 1780mm x 727mm

- Flat bed manufacturing technique - not rolled
- Available off the shelf

WW-G300-304 (304 grade) WW-G300-316 (316 grade)


Wedge Wire G300


Grates & Drains

- Wire Size 5.00mmW x 5.00mmH. Gap 5.00mm
- Support Bars 3.00mmW x 12.00mmH. Gap 22.00mm
- Convenient sheet size minimises
- 304 or 316 grade stainless steel
- Versatile and long lasting


П Ш Ш Т Т Π 22 3 10

Top





Bottom









Dimpled Wedge Wire G300

WW-G300-DNS-304 (304 grade) WW-G300-DNS-316 (316 grade)


- Dimple Non Slip Wedge Wire
- Wire Size 5.65mmW x 6.05mmH - 5.00mm Gap
- Support Bars 3mmW x 12.96mmH - 21mm Gap
- Sheet Size 2050mm x 1000mm
- 304 Grade S/S








Bottom







NSW 02 9627 6111 VIC 03 9357 6562 QLD 07 3881 0322 08 6305 0681 0417 731 718 0408 446 961

WA

ACT

TAS03 6344 7060NT0447 382 658FNQ07 4775 6956

3monkeez°

www.3monkeez.com.au sales@3monkeez.com.au