

### **Plumbing and Sanitary**





## 3monkeez® MISSION STATEMENT

Put people first. Build a great product. Reinvent industry expectations.

At 3monkeez, we understand that building a great quality and reliable product is only part of the story.

We provide an experience for our customers that exceeds expectations and makes us a trusted supplier of commercial plumbing and catering products across Australia. By putting people first our highly trained team can not only provide the right product and support, they also work closely with our customers to build long-lasting and rewarding relationships.

Through our commitment to manufacturing exceptional products and offering an unmatched experience for our customers we always strive to exceed and reinvent customer expectations when it comes to dealing with 3monkeez.

### GUARDIAN TAPWARE









People are at the centre of everything we do. We provide industry leading customer service with a highly trained team of professionals available across Australia.



As a supplier of commercial stainless steel products for over 30 years the quality of our products matter to us. Our products will always provide creative and reliable solutions.




We are committed to providing innovative solutions that exceed customer expectations through our customer service, products, resources and unbeatable delivery times.

#### **Contents**

Deluxe Slab Urinal	4	Pedestal Toilet Pan - S Trap	30
Standard Slab Urinal	5	Pedestal Toilet Pan - P Trap with Seat	31
Standard Wall Hung Urinal - Off The Shelf	6	Pedestal Toilet Pan - S Trap with Seat	32
Standard Wall Hung Urinal - Custom Made	7	Wall Faced Toilet Pan	33
Urinette	8	Ambulant Wall Faced Toilet Pan	34
Pod Urinal	9-10	Disabled Compliant Wall Faced Toilet Pan	35
Adaptors	11	Wall Faced Close Coupled Toilet Pan	36
Grate Covers	12	Ambulant Wall Faced Close Coupled Toilet Pan	37
Spreaders	13		
Urinal Accessories Kit	14	Disabled Compliant Wall Faced Close	38
Stainless Steel Pull Chain Cistern	15-16	Coupled Toilet Pan	
Stainless Steel Dual flush Cistern	17-18	Long Drop Toilet Pan	39-40
Stainless Steel Disabled Compliant		Combination Unit 90	41
Dual Flush Cistern	19-20	Combination Unit 45	42
Stainless Steel Front Press Cistern	21-22	Stainless Steel Pedestal Slop	,-
Stainless Steel Side Press Cistern	23-24	Hopper - P Trap - Made to Order	43
Stainless Steel Cistern Case	25	Stainless Steel Pedestal Slop Hopper - S Trap - Made to Order	44
In Wall Cistern	26	Stainless Steel Wall Faced	
Flushpipes	27	Slop Hopper - Made to Order	45
Cistern Spare Parts	28	Toilet Seats	46-47
Pedestal Toilet Pan - P Trap	29	In Wall Cistern	48

Warranty Exclusions: Cistern valves, cistern buttons and pan bends are NOT included in the warranty period.



3monkeez.com.au






#### **Deluxe Slab Urinal**

#### M-DSUR


- Constructed from 1.2mm
   304 grade stainless steel
- Outlet position as required
- Length as required
- Rear or top inlet available
- Suitable for use with self flushing systems
- Custom made products incur a lead time








#### Front



#### **Cross Section**



#### Optional Top Inlet Accessories Kit

#### M-URACCKIT

Includes pull chain cistern, sparge adaptor, flush pipe and nut and washer








#### Standard Slab Urinal

#### M-SSUR

- Constructed from 1.2mm
   304 grade stainless steel
- Outlet position as required
- Length as required
- Rear or top inlet available
- Suitable for use with self flushing systems
- Custom made products incur a lead time









#### Standard Wall Hung Urinal - Off The Shelf



M-SWHUR-600C

M-SWHUR-900C


M-SWHUR-1200C

M-SWHUR-1500C


M-SWHUR-1800C

M-SWHUR-2400C

- Constructed from 1.2mm
   304 grade stainless steel
- Centre outlet
- Available in 600mm, 900mm, 1200mm, 1500mm, 1800mm and 2400mm
- Centre 25mm male BSP top inlet (2400mm has two top inlets which are 600mm in from ends)







Optional Top Inlet Accessories Kit

M-WHURACCKIT

Includes pull chain cistern, sparge adaptor, flush pipe, nut and washer and domed grate



Suggested mounting height from floor level to front rim:

Adults - 610mm Children - 510mm






### Standard Wall Hung Urinal - Custom Made

#### M-SWHUR

- Constructed from 1.2mm 304 grade stainless steel
- Outlet position as required
- Length as required
- Rear or top inlet available for custom made
- Custom made products incur a lead time

Top



Side



20 130 230

Optional Top Inlet Accessories Kit M-WHURACCKIT Includes pull chain cistern, sparge adaptor, flush pipe, nut and washer and domed grate



Suggested mounting height from floor level to front rim: Adults - 610mm Children - 510mm



#### **Urinette**

#### **AB-URN**


- Pre-drilled fixing holes
- Constructed from 1.2mm 304 grade stainless steel
- 50mm outlet
- Complete with top entry spreader and domed grate
- Cross breaks to outlet
- In stock and available for immediate delivery




Includes URNG



Top



Front \$2 231



Optional Top Inlet Accessories Kit

M-URACCKIT

Includes pull chain cistern, sparge adaptor, flush pipe and nut and washer



Suggested mounting height from floor level to front rim:


Adults - 610mm Children - 510mm




#### **Pod Urinal**


#### **URN-TD-S** (REAR INLET)


- Pre-drilled fixing holes with wall bracket
- 1/2" MI BSP rear inlet
- 2" MI BSP outlet
- Includes domed grate
- Fully conceals plumbing fixtures
- Constructed from 1.2mm 304 grade stainless steel
- In stock and available for immediate delivery




Top







**Bracket** 



Suggested mounting height from floor level to front rim: Adults - 610mm

Children - 510mm





#### **Pod Urinal**

#### **URN-TD-TI** (TOP INLET)

Pre-drilled fixing holes with wall bracket


- 1" MI BSP top inlet
- 2" MI BSP outlet
- Includes domed grate
- Fully conceals plumbing fixtures
- Constructed from 1.2mm 304 grade stainless steel
- In stock and available for immediate delivery








Optional Top Inlet Accessories Kit M-URACCKIT Includes pull chain cistern, sparge adaptor, flush pipe and nut and washer







Bracket

∅6.5 x 2

225

225 260


Suggested mounting height from floor level to front rim:

Adults - 610mm Children - 510mm

#### **Adaptors**


**URNNW:** This nut and washer is chrome plated. It comes with a reducing washer, which allows it to accommodate 20mm or 25mm sparge pipes






**URNNW-1:** This sparge adaptor is chrome plated and reduces from a 40mm thread to a 20mm or 25mm sparge pipe






**URNNW-2:** Chrome Plated Sparge Adaptor. 50mm FI BSP to 25mm BSP Reducer





**URNNW-3:** This nut and washer is chrome plated. It accommodates 40mm sparge pipes





#### **Grate Covers**

**URNG:** Suits wall hung urinals and urinettes with 50mm BSP connection










**URNPG:** Suits existing slab urinal outlets and replaces damaged or lost grates









#### **Spreaders**

**URNSB2:** This rear entry button spreader has a 20mm female BSP thread












URNS: The chrome plated top entry exposed spreader comes complete with a chrome plated nut and washer, and it is designed to accommodate 20mm or 25mm sparge pipes











#### **Urinal Accessories Kit**

#### M-URACCKIT

#### M-WHURACCKIT


- Urinal Accessories Kit -Includes URNNW, M-FP600-C, URNNW-2 and AB-CIS-PC
- Wall Hung Urinal Accessories Kit -Includes URNG, URNNW, M-FP600-C, URNNW-2 and AB-CIS-PC





Front







#### P-PCIS-CHAIN

 Chain and Toggle to Suit Pull Chain Valve. 304 Grade S/S

Refer to warranty for exclusions.



#### Stainless Steel Pull Chain Cistern

#### **AB-CIS-PC** (BOTTOM ENTRY)

- Assembled with high quality adjustable inlet and outlet valves
- Constructed from high quality1.2mm 304 grade stainless steel
- Reversible inlet valve suits left or right
- 50mm BSP outlet Use URNNW-2 to reduce the outlet to suit 20mm or 25mm sparge pipes






#### P-PCIS-CHAIN

 Chain and Toggle to Suit Pull Chain Valve. 304 Grade S/S





Refer to warranty for exclusions.




#### Stainless Steel Pull Chain Cistern


### **AB-CIS-PC-SE-L** (LEFT SIDE ENTRY) **AB-CIS-PC-SE-R** (RIGHT SIDE ENTRY)

- Assembled with high quality adjustable inlet and outlet valves
- Constructed from high quality
   1.2mm 304 grade stainless steel
- Reversible inlet valve suits left or right
- 50mm BSP outlet Use URNNW-2 to reduce the outlet to suit 20mm or 25mm sparge pipes





#### Front



Side Entry Left Drawing Shown



#### P-PCIS-CHAIN

 Chain and Toggle to Suit Pull Chain Valve. 304 Grade S/S

Refer to warranty for exclusions.





#### Stainless Steel Dual Flush Cistern

#### **AB-CIS-DF-2** (BOTTOM ENTRY)

- Assembled with approved high quality inlet and outlet valves
- Water saving half flush feature
- Adjustable inlet and outlet valves for setting the required flushing volume
- Constructed from high quality1.2mm 304 grade stainless steel
- Reversible inlet valve suits left or right
- 50mm BSP outlet









#### Stainless Steel Dual Flush Cistern


**AB-CIS-DF-2-SE-L** (LEFT SIDE ENTRY) **AB-CIS-DF-2-SE-R** (RIGHT SIDE ENTRY)

- Assembled with approved high quality inlet and outlet valves
- Water saving half flush feature
- Adjustable inlet and outlet valves for setting the required flushing volume
- Constructed from high quality
   1.2mm 304 grade stainless steel
- Reversible inlet valve suits left or right
- 50mm BSP outlet




Top





Front



Side



Left Side Entry Photo Shown

Right Side Entry Drawing Shown

Refer to warranty for exclusions.


### Plumbing & Sanitary &

#### Stainless Steel Disabled Compliant Dual Flush Cistern


### WARRANTY

#### **AB-CIS-DCDF** (BOTTOM ENTRY)

- AS1428 compliant
- Water saving half flush feature
- Adjustable inlet and outlet valves for setting the required flushing volume
- Constructed from high quality1.2mm 304 grade stainless steel
- Reversible inlet valve suits left or right
- 50mm BSP outlet







Side




#### Stainless Steel Disabled Compliant Dual Flush Cistern


WARRANTY


### **AB-CIS-DCDF-SE-L** (LEFT SIDE ENTRY) **AB-CIS-DCDF-SE-R** (RIGHT SIDE ENTRY)

- AS1428 compliant
- Water saving half flush feature
- Adjustable inlet and outlet valves for setting the required flushing volume
- Constructed from high quality1.2mm 304 grade stainless steel
- Reversible inlet valve suits left or right
- 50mm BSP outlet









Side Entry Right photo shown

Side Entry Left Drawing Shown

Refer to warranty for exclusions.

3monkeez.com.au

Side




#### **Stainless Steel Front Press Cistern**

#### **AB-CIS-FP** (BOTTOM ENTRY)


- Water saving half flush feature
- Adjustable inlet and outlet valves for setting the required flushing volume
- Buttons located on front of cistern
- Constructed from high quality1.2mm 304 grade stainless steel
- Reversible inlet valve suits left or right
- 50mm BSP outlet



#### Top



#### Front



#### Side







#### **Stainless Steel Front Press Cistern**


### **AB-CIS-FP-SE-L** (LEFT SIDE ENTRY) **AB-CIS-FP-SE-R** (RIGHT SIDE ENTRY)

- Water saving half flush feature
- Adjustable inlet and outlet valves for setting the required flushing volume
- Buttons located on front of cistern
- Constructed from high quality1.2mm 304 grade stainless steel
- Reversible inlet valve suits left or right
- 50mm BSP outlet



# Top 457

#### Front



#### Side



Side Entry Left photo shown

Side Entry Right Drawing Shown

Refer to warranty for exclusions.




#### Stainless Steel Side Press Cistern

#### **AB-CIS-SP** (BOTTOM ENTRY)


- Water saving half flush feature
- Adjustable inlet and outlet valves for setting the required flushing volume
- Buttons located on side of cistern (can be either left or right)
- Constructed from high quality1.2mm 304 grade stainless steel
- Reversible inlet valve suits left or right
- 50mm BSP outlet



#### Top



#### Front



#### Side



Refer to warranty for exclusions.




#### Stainless Steel Side Press Cistern

**AB-CIS-SP-SE-L** (LEFT SIDE ENTRY) **AB-CIS-SP-SE-R** (RIGHT SIDE ENTRY)


- Water saving half flush feature
- Adjustable inlet and outlet valves for setting the required flushing volume
- Buttons located on side of cistern (can be either left or right)
- Constructed from high quality
   1.2mm 304 grade stainless steel
- Reversible inlet valve suits left or right
- 50mm BSP outlet




Top



Front



Side



Side Entry Right photo shown

Side Entry Left Drawing Shown

Refer to warranty for exclusions.



#### **Stainless Steel Cistern Case**

CIS-60 (WITH HOLES)
CIS-60-1 (WITHOUT HOLES)

The 3monkeez® cistern case is available with or without holes. Holes can also be custom punched to the customer's requirement.

- Constructed from high quality
   1.2mm 304 grade stainless steel
- Holes can be custom cut in CIS-60-1 to customer's requirements
- In stock and available for immediate delivery




#### Top (CIS-60-1)







#### Top (CIS-60)



#### Back



#### Side



Refer to warranty for exclusions.




#### **In Wall Cistern**

#### **CIS-IWFA**

- Suits 3monkeez® pedestal and wall faced toilet pans
- One piece tank manufactured from HDPE
- 80mm depth
- Operating pressure 10-1000kPa
- 3 star WELS







#### **CIS-IWFA-BD**

- AS1428 compliant
- Mechanical dual flush plate
- Round buttons
- Vandal resistant
- Metal construction
- Stainless steel and chrome finish









#### **Cistern Spare Parts**

#### P-CIS-INLET

(INLET VALVE)

■ 1/2" MI BSP

### **P-CIS-INLET-SIDE ENT** (SIDE ENTRY INLET VALVE)

■ 1/2" MI BSP

### P-CIS-PC OUTLET (PULL CHAIN OUTLET VALVE)

■ 50mm MI BSP

### P-CIS-DF OUTLET (DUAL FLUSH OUTLET VALVE)

■ 50mm MI BSP

### **P-CIS-CDF OUTLET** (DUAL FLUSH OUTLET CABLE VALVE)

- 50mm MI BSP
- Cable allows buttons to be placed in any position

### **P-CIS-DCDF BUTTONS** (DISABLED COMPLIANT BUTTONS)

AS1428 compliant

P-CIS-INLET



P-CIS-INLET-SIDE ENT



P-CIS-PC OUTLET



P-CIS-DF OUTLET



P-CIS-CDF OUTLET



P-CIS-DCDF BUTTONS










Floor Clip

#### Pedestal Toilet Pan - P Trap


#### **WC-SSPP**

- Compatible with 3monkeez® Dual Flush Cistern - AB-CIS-DF-2 or 3monkeez® Pull Chain Cistern - AB-CIS-PC
- Easy to retrofit
- Simple installation
- Radius edges
- Satin finish
- 2mm 304 grade stainless steel
- In stock and available for immediate delivery






#### Rear








**Bottom** Floor Clip 290



#### Cross Section



Refer to warranty for exclusions.






#### Pedestal Toilet Pan - S Trap


#### **WC-SSPS**

- Compatible with 3monkeez®
   Dual Flush Cistern AB-CIS-DF-2
   or 3monkeez® Pull Chain
   Cistern AB-CIS-PC
- Easy to retrofit
- Simple installation
- Radius edges
- Satin finish
- 2mm 304 grade stainless steel
- In stock and available for immediate delivery













**Bottom** 

290 36 00 00 170

Floor Clip



#### Cross Section



If used with 3monkeez® cistern and stainless steel flushpipe, set out range is 240mm – 470mm from wall to centre of outlet.

Refer to warranty for exclusions.







#### Pedestal Toilet Pan - P Trap with Seat


#### WC-SSPP-D

- Compatible with 3monkeez® Dual Flush Cistern - AB-CIS-DF-2 or 3monkeez® Pull Chain Cistern - AB-CIS-PC
- Easy to retrofit
- Simple installation
- Radius edges
- Satin finish
- 2mm 304 grade stainless steel
- In stock and available for immediate delivery


#### **SEAT**

- Solid strong moulding
- 50mm height
- Locking stability buffers


### Top 600








#### Floor Clip















#### Pedestal Toilet Pan - S Trap with Seat


#### WC-SSPS-D


- Compatible with 3monkeez® Dual Flush Cistern - AB-CIS-DF-2 or 3monkeez® Pull Chain Cistern - AB-CIS-PC
- Easy to retrofit
- Simple installation
- Radius edges
- Satin finish
- 2mm 304 grade stainless steel
- In stock and available for immediate delivery

#### **SEAT**

- Solid strong moulding
- 50mm height
- Locking stability buffer

# Top






Floor Clip

**Cross Section** 

Floor Clip

Rear



If used with 3monkeez® cistern and stainless steel flushpipe, set out range is 290mm from wall to centre of outlet.

Refer to warranty for exclusions.







#### **Wall Faced Toilet Pan**


### WC-SSWFP (P TRAP) WC-SSWFS (S TRAP)

- No ligature points
- Suitable for use with an in wall cistern
- Available in P trap or S trap
- Radius edges
- Satin finish
- Concealed fixings
- 2mm 304 grade stainless steel
- In stock and available for immediate delivery
- See compatibility chart on seats data sheets









Please Note: S trap pan is supplied with a separate pan bend. Set out dimension 130mm + or - 5mm.

Refer to warranty for exclusions.

### 









#### **Ambulant Wall Faced Toilet Pan**


#### WC-SSAP (P TRAP) WC-SSAS (S TRAP)


- Suitable for ambulant applications
- No ligature points
- Available in P trap or S trap
- Radius edges
- Satin finish
- Concealed fixings
- 2mm 304 grade stainless steel
- In stock and available for immediate delivery
- See compatibility chart on seats data sheets














Please Note: S trap pan is supplied with a separate pan bend. Set out dimension 105mm + or - 5mm.

Refer to warranty for exclusions.

Top









#### **Disabled Compliant Wall Faced Toilet Pan**


#### WC-SSDP (P TRAP) WC-SSDS (S TRAP)


- Suitable for disabled applications
- No ligature points
- Available in P trap or S trap
- Radius edges
- Satin finish
- Concealed fixings
- 2mm 304 grade stainless steel
- In stock and available for immediate delivery
- See compatibility chart on seats data sheets











Please Note: S trap pan is supplied with a separate pan bend. Set out dimension 125mm + or - 5mm.

Refer to warranty for exclusions.








#### **Wall Faced Close Coupled Toilet Pan**


### **WC-SSWFCCP** (P TRAP) **WC-SSWFCCS** (S TRAP)

- No ligature points and concealed fixings
- Available in P trap or S trap
- Radius edges
- Inbuilt dual flush cistern
- Adjustable inlet and outlet valves for setting the required flush volume
- 2mm 304 grade satin finish stainless steel
- In stock and available for immediate delivery
- See compatibility chart on seats data sheets






#### Front









Please Note: S trap pan is supplied with a separate pan bend. Set out dimension 130mm + or - 5mm. Mini stop to be 150mm-350mm FFL and 100mm out from centre of pan.

Refer to warranty for exclusions.

# Plumbing & Sanitary A A STATE OF A STATE OF









### **Ambulant Wall Faced Close Coupled Toilet Pan**

### WC-SSACCP (P TRAP) WC-SSACCS (S TRAP)

- Suitable for ambulant applications
- No ligature points and concealed fixings
- Available in P trap or S trap
- Radius edges
- Inbuilt dual flush cistern
- Adjustable inlet and outlet valves for setting the required flush volume
- 2mm 304 grade satin finish stainless steel
- In stock and available for immediate delivery
- See compatibility chart on seats data sheets









Please Note: S trap pan is supplied with a separate pan bend. Set out dimension 105mm + or - 5mm. Mini stop to be 150mm-350mm FFL and 100mm out from centre of pan.

Refer to warranty for exclusions.









### **Disabled Compliant Wall Faced Close Coupled Toilet Pan**

### WC-SSDCCP (P TRAP) WC-SSDCCS (S TRAP)

- Suitable for disabled applications
- No ligature points and concealed fixings
- Available in P trap or S trap
- Radius edges
- Inbuilt dual flush cistern
- Adjustable inlet and outlet valves for setting the required flush volume
- 2mm 304 grade satin finish stainless steel
- In stock and available for immediate delivery
- See compatibility chart on seats data sheets









Please Note: S trap pan is supplied with a separate pan bend. Set out dimension 125mm + or - 5mm. Mini stop to be 150mm-350mm FFL and 100mm out from centre of pan.

Refer to warranty for exclusions.






### **Disabled Compliant Long Drop Toilet Pan**

### M-WC-SSLD (LONGDROP)


- Suitable for pit toilet systems
- Extended chute
- No ligature points
- Radius edges
- Satin finish
- 2mm 304 grade stainless steel
- AS1428 dimensional compliant

Top



Side





228
73
Holes for wall attachment

250
75mm Flange for floor attachment






### **Ambulant Long Drop Toilet Pan**


#### M-WC-SSALD (LONGDROP)

- Suitable for pit toilet systems
- Extended chute
- No ligature points
- Radius edges
- Satin finish
- 2mm 304 grade stainless steel
- AS1428 dimensional compliant











238

R185



Floor Plate Detail

#### **Combination Unit 90**


M-WC-SSCU90L-P (P TRAP)

M-WC-SSCU90L-S (S TRAP)

M-WC-SSCU90R-P (P TRAP

M-WC-SSCU90R-S (S TRAP)

- No ligature points
- Available in P trap or S trap
- Integrated hand basin and toilet roll holder
- Radius edges



Top

Back

Outlet Ø52.8

Please Note: S trap pan is supplied with a separate pan bend. Left hand dimensions shown.





### **Combination Unit 45**


M-WC-SSCU45L-P (P TRAP)


M-WC-SSCU45L-S (S TRAP)

M-WC-SSCU45R-P (P TRAP)

M-WC-SSCU45R-S (S TRAP)

- No ligature points
- Available in P trap or S trap
- Integrated hand basin and toilet roll holder
- Radius edges
- Satin finish
- Concealed fixings
- 2mm 304 grade stainless steel









## Stainless Steel Pedestal Slop Hopper - P Trap - Made to Order




#### M-SH-PP


- Compatible with 3monkeez® Dual Flush Cistern - AB-CIS-DF-2 or 3monkeez® Pull Chain Cistern - AB-CIS-PC
- Easy to retrofit
- Simple installation
- Radius edges
- Satin finish
- 2mm 304 grade stainless steel
- In stock and available for immediate delivery




 Also available with a 150mm high shroud and top inlet if required




#### Top



#### Rear




### Bottom 290 Floor Clip




# 50

#### **Cross Section**



## Slophopper



Floor Clip

Refer to warranty for exclusions.





## Stainless Steel Pedestal Slop Hopper - S Trap - Made to Order


Top



#### M-SH-PS

- Compatible with 3monkeez®
   Dual Flush Cistern AB-CIS-DF-2
   or 3monkeez® Pull Chain
   Cistern AB-CIS-PC
- Easy to retrofit
- Simple installation
- Radius edges
- Satin finish
- 2mm 304 grade stainless steel
- In stock and available for immediate delivery









 Also available with a 150mm high shroud and top inlet if required





Floor Clip





If used with 3monkeez® cistern and stainless steel flushpipe, set out range is 240mm – 470mm from wall to centre of outlet.

Refer to warranty for exclusions.







## Stainless Steel Wall Faced Slop Hopper - Made to Order


# WARRANTY

# M-SH-WFP (P TRAP) M-SH-WFS (S TRAP)

- No ligature points
- Suitable for use with an in wall cistern
- Available in P trap or S trap
- Radius edges
- Satin finish
- Concealed fixings
- 2mm 304 grade stainless steel
- In stock and available for immediate delivery











Also available with a 150mm high shroud

Cross Section



Rear



Please Note: S trap pan is supplied with a separate pan bend. Set out dimension 130mm + or - 5mm.

Refer to warranty for exclusions.



#### **Toilet Seats**

# WC-CSFSEAT-B (BLACK) WC-CSFSEAT-BL (BLUE)

- Heavy duty plastic toilet seat
- Recommended for commercial applications
- Non-corrosive stainless steel posts and pintles


#### **WC-CSFSEAT**





WC-CSFSEAT-B (Black)






#### **WC-ASFSEAT**

- Solid strong moulding
- 50mm Height
- Locking stability buffers
- Suits most pans

Suitable for use with 3monkeez® pedestal pans to obtain height required for disabled use

#### WC-ASFSEAT





#### Compatibilty Chart

WC-CSFSEAT, WC-CSFSEAT-B, WC-CSFSEAT-BL		WC-SFSEAT, WC-SFSEAT-B	WC-DFSEAT	WC-ASFSEAT
WC-SSAP	WC-SSAS	WC-SSPP	WC-SSPP	WC-SSPP (for WC-SSPP-D)
WC-SSDP	WC-SSDS	WC-SSPS	WC-SSPS	WC-SSPS (for WC-SSPS-D)
WC-SSPP	WC-SSPS	WC-SSWFP	WC-SSWFP	
WC-SSWFP	WC-SSWFS	WC-SSWFS	WC-SSWFS	
WC-SSACCP	WC-SSACCS	WC-SSWFCCP		
WC-SSDCCP	WC-SSDCCS	WC-SSWFCCS		




#### **Toilet Seats**

#### **WC-SFSEAT-B** (BLACK)

#### **WC-SFSEAT**


- This single flap toilet seat is white or black and features an open front
- Domestic, hotel & commercial applications





#### **WC-DFSEAT**

- This double flap toilet seat is white and features a closed front
- Plastic toilet seat. Features four moulded-in bumpers
- Soft close quick release toilet seat
- Commercial heavy duty applications



#### Compatibilty Chart

WC-CSFSEAT, WC-CSFSEAT-B, WC-CSFSEAT-BL		WC-SFSEAT, WC-SFSEAT-B	WC-DFSEAT	WC-ASFSEAT
WC-SSAP	WC-SSAS	WC-SSPP	WC-SSPP	WC-SSPP (for WC-SSPP-D)
WC-SSDP	WC-SSDS	WC-SSPS	WC-SSPS	WC-SSPS (for WC-SSPS-D)
WC-SSPP	WC-SSPS	WC-SSWFP	WC-SSWFP	
WC-SSWFP	WC-SSWFS	WC-SSWFS	WC-SSWFS	
WC-SSACCP	WC-SSACCS	WC-SSWFCCP		
WC-SSDCCP	WC-SSDCCS	WC-SSWFCCS		



VIC 03 9357 6562 QLD 07 3881 0322 SA ACT

0417 731 718 0408 446 961 NT FNQ

0447 382 658 07 4775 6956 3monkeez

www.3monkeez.com.au sales@3monkeez.com.au