

## Storage and Hardware





www.3monkeez.com.au sales@3monkeez.com.au



# **3monkeez®** MISSION STATEMENT

Put people first. Build a great product. Reinvent industry expectations.

At 3monkeez, we understand that building a great quality and reliable product is only part of the story.

We provide an experience for our customers that exceeds expectations and makes us a trusted supplier of commercial plumbing and catering products across Australia. By putting people first our highly trained team can not only provide the right product and support, they also work closely with our customers to build long-lasting and rewarding relationships.


Through our commitment to manufacturing exceptional products and offering an unmatched experience for our customers we always strive to exceed and reinvent customer expectations when it comes to dealing with 3monkeez.













As a supplier of commercial stainless steel products for over 30 years the quality of our products matter to us. Our products will always provide creative and reliable solutions.



We are committed to providing innovative solutions that exceed customer expectations through our customer service, products, resources and unbeatable delivery times.

#### Contents

Adjustable Glass Rack Kit	4
Adjustable Glass Rack Accessories	5
Adjustable Dishwasher Rack Kit	6
Adjustable Dishwasher Rack Accessories	7
Stainless Steel Drawer	8
Stainless Steel Gastronorm Drawer	9
Stainless Steel Compact Drawer	10
Freestanding Drawer Unit 2 Drawer	11
Freestanding Drawer Unit 3 Drawer	12
Freestanding Compact Drawer Unit	13
Weld In Ice Well	14-15
Drop In Ice Well with Raised Flange	16-17

Ice Well Lid	18
Ice Well Removable Basket	19
Stainless Steel Adjustable Feet	20
Nylon Leg Insert	21
Nylon Adjustable Feet	22
Adjustable Feet	23
Plastic Tube Closures	24
Drawer Handles & Pulls	25
Stainless Steel Adjustable Leg and Mounting Plate	26
Stainless Steel Hinges	27
Utility Lock	28





#### Adjustable Glass Rack Kit

#### BRK-C (Complete bay) BRK-1 (Add on bay)


- 4 pairs of adjustable stainless steel tray slides to accommodate 4 tiers or 3 tiers and a drip tray (optional)
- Notched channel welded to frame
- Stainless steel fixings with flat bar supports
- Flat packed complete with leg inserts, disc feet and rivets
- Constructed from 25mm 304 grade stainless steel square tubes
- Can be used as a bench support
- 304 grade stainless steel



PHOTO SHOWS BRK-C WITH BRK-1

#### 3monkeez.com.au

#### 4












BRK-C

Top

Front

BRK-1






Top



#### Adjustable Dishwasher Rack Kit

#### BRK-DW-C (Complete bay) BRK-DW-1 (Add on bay)

- 4 pairs of adjustable stainless steel tray slides to accommodate 4 tiers or 3 tiers and a drip tray (optional)
- Notched channel welded to frame
- Stainless steel fixings with flat bar supports
- Flat packed complete with leg inserts, disc feet and rivets
- Constructed from 25mm 304 grade stainless steel square tubes
- Can be used as a bench support
- 304 grade stainless steel








PHOTO SHOWS BRK-DW-C WITH BRK-DW-1







#### 3monkeez.com.au

BRK-DW-C



#### **Adjustable Dishwasher Rack Accessories**

BRK-DW-DT

(S/S drip tray)


**AB-BRK-TS-DW** (Pair S/S tray slide - 510mm)

BRK-TS-DW-L (Left S/S tray slide - 510mm)

BRK-TS-DW-R (Right S/S tray slide - 510mm)

■ 304 grade stainless steel


BRK-DW-DT



Drip Tray



AB-BRK-TS-DW / BRK-TS-DW-L / BRK-TS-DW-R






#### **Stainless Steel Drawer**

#### **SS DRAWER**


#### SS DRAWER-L

- Constructed from 1.2mm 304 grade stainless steel
- Heavy duty drawer slides
- Drawers are available with or without a lock
- Pre-drilled fixing holes for under bench mounting
- Optional keyed alike lock




Front

Top





**Cross Section** 







#### Stainless Steel Gastronorm Drawer

#### SS DRAWER-1G

(suits removable pans)


- Constructed from 1.2mm 304 grade stainless steel
- Heavy duty drawer slide that extends past open to allow pans to be removed with ease
- Pre-drilled fixing holes for under bench mounting
- Under bench mounted
- Lockable
- Specifically designed to allow easy access to pans

Front

307


Top





510

#### **Cross Section**








#### **Stainless Steel Compact Drawer**


#### SS CDRAWER-L

- Constructed from 1.2mm 304 grade stainless steel
- Heavy duty drawer slides
- Pre-drilled fixing holes for under bench mounting
- Optional keyed alike lock




Front

Top






**Cross Section** 



453 88

Front

Side



Ø65

124





**AB-2DRAW** (2 drawer unit)

**AB-2DRAW-L** 

**Freestanding Drawer Unit** 



- Heavy duty drawer slides
- Adjustable disc feet
- Standard drawer units are available with or without locks
- Gastronorm units are only available with locks



#### 3monkeez.com.au

## Storage & Hardware


AB-2DRAW-1G

Top

Front











#### **Freestanding Drawer Unit**

**AB-3DRAW** 

(3 drawer unit)

**AB-3DRAW-L** 

AB-3DRAW-1G

with locks






#### **Freestanding Compact Drawer Unit**


#### **AB-4DRAW-L**

(4 drawer lockable unit)


- Constructed from 304 grade stainless steel
- Heavy duty drawer slides
- Adjustable disc feet



Тор







#### 3monkeez.com.au

Side


Top



#### ICE-303020

(300mm x 300mm x 200mm)

- Internal skin constructed from 1.2mm 304 grade stainless steel
- External skin constructed from 1.2mm 304 grade stainless steel complete with a flange for fixing
- Radius corners and cross breaks to a 25mm centre waste
- Raw edge ready for welding
- 25mm urethane injected insulation
- Ice lid and basket available (optional)
- Custom sizes available, custom made products incur a lead time



395








#### Weld In Insulated Ice Well

#### ICE-403530

(400mm x 350mm x 300mm)

- Internal skin constructed from 1.2mm 304 grade stainless steel
- External skin constructed from 1.2mm 304 grade stainless steel complete with a flange for fixing
- Radius corners and cross breaks to a 25mm centre waste
- Raw edge ready for welding
- 25mm urethane injected insulation
- Ice lid and basket available (optional)
- Custom sizes available, custom made products incur a lead time





Top

Side





#### Drop In Ice Well with Raised Flange


#### ICEDI-303020


(300mm x 300mm x 200mm)

- Internal skin constructed from 1.2mm 304 grade stainless steel
- External skin constructed from 1.2mm 304 grade stainless steel complete with a raised flange to prevent cross contamination
- Radius corners and cross breaks to a 25mm centre waste
- 25mm urethane injected insulation
- Ice lid and basket available (optional)
- Custom sizes available, custom made products incur a lead time











#### Drop In Ice Well with Raised Flange


#### ICEDI-403530


(400mm x 350mm x 300mm)

- Internal skin constructed from 1.2mm 304 grade stainless steel
- External skin constructed from 1.2mm 304 grade stainless steel complete with a raised flange to prevent cross contamination
- Radius corners and cross breaks to a 25mm centre waste
- 25mm urethane injected insulation
- Ice lid and basket available (optional)
- Custom sizes available, custom made products incur a lead time

Top

Side






**Cross Section** 










#### Ice Well Lid

#### ICEL-303020

- Constructed from 1.2mm 304 grade stainless steel
- Suitable for pairing with ICE-303020 and ICEDI-303020

#### ICEL-403530

- Constructed from 1.2mm 304 grade stainless steel
- Suitable for pairing with ICE-403530 and ICEDI-403530





Side





ICEL-303020

Under-side

ICEL-403530







ICEL-303020

ICEL-403530






#### Ice Well Removable Basket


#### ICEB-303020

- Constructed from 1.2mm 304 grade stainless steel
- Includes Nylon Feet
- Suitable for pairing with ICE-303020 and ICEDI-303020

#### ICEB-403530

- Constructed from 1.2mm 304 grade stainless steel
- Includes Nylon Feet
- Suitable for pairing with ICE-403530 and ICEDI-403530





3monkeez.com.au

ICEB-303020

ICEB-403530



#### **Stainless Steel Adjustable Feet**



FH-10 **FH-11** FH-12 FH-13



304 Grade Stainless Steel Adjustable Disc Foot

С 0 В O PRODUCT

A в с D Е F G

16 41 105 4 7 65 50

16 41 105 4 5 50 39

16 41 70 4 5 50 39

16 41

CODE

FH-10

FH-11

FH-12

FH-13



# OF

HOLES

2

2


2

2

FH-14



70 304 Grade Stainless Steel Adjustable Pin Foot




4 7 65 50

FH-15 FH-16



#### 304 Grade Stainless Steel Adjustable Lug Foot



PRODUCT CODE	A	в	с	D	E	F	G	# OF HOLES
FH-15	16	41	70	4.5	9	52	25	1
FH-16	16	41	105	4.5	9	52	25	1


All measurements in mm.

#### **Nylon Leg Insert**

FH-17 FH-18



#### Nylon Leg Insert - Square Tube






PRODUCT CODE	A	В	с	THREAD
FH-17	25	55	62	M16
FH-18	32	55	62	M16

FH-19

FH-20




Nylon Leg Insert - Square Tube



PRODUCT CODE	A	В	С	THREAD
FH-19	38	50	60	M16

Nylon Leg Insert - Round Tube



PRODUCT CODE	A	В	С	THREAD
FH-20	38	50	60	M16


To fit tube of 1.2mm or 1.6mm wall thickness. All measurements in mm.

#### **Nylon Adjustable Feet**

FH-21 FH-22 FH-23



Nylon Adjustable Foot - Square Tube






PRODUCT CODE	А	В	с	D	ADJ. HEIGHT
FH-21	25	33	40	14	20
FH-22	32	45	52	20	20
FH-23	38	45	52	25	20

Nylon Adjustable Foot - Round Tube









PRODUCT CODE	А	В	с	D	ADJ. HEIGHT
FH-24	38	45	52	25	20
FH-25	50	55	65	26	30

To fit tube of 1.2mm or 1.6mm wall thickness. All measurements in mm.


#### **Adjustable Feet**

FH-26

FH-27



Zinc Die-Cast Chrome Plated Adjustable Hex Foot - Square Tube \_\_\_\_\_\_





PRODUCT CODE	A	В	с	D	ADJ. HEIGHT
FH-26	25	32	37	10	25
FH-27	32	43	50	23	33


FH-29 FH-30

FH-31

FH-32




Zinc Die-Cast Chrome Plated Adjustable Flanged Foot - Square Tube



PRODUCT CODE	A	В	с	D	E	ADJ. HEIGHT
FH-29	25	32	37	10	30	25
FH-30	32	43	50	23	50	33

304 Grade Stainless Steel Clad Adjustable Hex Foot -Round Tube



PRODUCT CODE	A	В	с	D	ADJ. HEIGHT
FH-31	38 *	43	51	24	33
FH-32	50 *	46	56	28	35

\* This represents tube size. To fit tube of 1.2mm or 1.6mm wall thickness. All measurements in mm.


#### **Plastic Tube Closures**

FH-33
FH-34
FH-35
FH-36

FH-37



Plastic Tube Closure - Square Tube





PRODUCT CODE	A	В	С
FH-33	19	13	16.5
FH-34	25	13	16.5
FH-35	32	13	16.5
FH-36	38	13	16.5
FH-37	50	13	16.5

Plastic Tube Closure - Round Tube

FH-38 FH-39 FH-40 FH-37R







PRODUCT CODE	А	В	с
FH-38	25	13	16.5
FH-39	32	13	16.5
FH-40	38	13	16.5
FH-37R	50	13	16.5

To fit tube of 1.2mm or 1.6mm wall thickness. All measurements in mm.



#### **Drawer Handles & Pulls**



62

# FH-41 Flush Mount Type (Weld In)






Bevelled Edge With Fixing Studs

13.5


13.5



FH-44




With Grip Flush Mount Type (Weld In)



FH-45



120mm Diameter With Grip and Fixing Studs



All products are made from 0.6mm Stainless Steel. No. 4 Brush Finish.

#### **Stainless Steel Adjustable Leg & Mounting Plate**



Adjustable Leg - Round Tube

**FH-46-S/S** (O/A Height 124mm - 153mm)

**FH-46-Z/P** (O/A Height 124mm - 153mm)

**FH-47-S/S** (O/A Height 150mm - 177mm)

**FH-47-Z/P** (O/A Height 150mm - 177mm)

**FH-48-S/S** (O/A Height 198mm - 227mm)

**FH-48-Z/P** (O/A Height 198mm - 227mm)


**FH-49-S/S** (O/A Height 249mm - 277mm)

**FH-49-Z/P** (O/A Height 249mm - 277mm)




FH-50 (Stainless Steel) FH-51 (Zinc Plated)





PRODUCT CODE	A	В	с	D	MOUNT- ING PLATE
FH-46-S/S	88	85	36	50	FH-50
FH-46-Z/P	88	85	36	50	FH-51
FH-47-S/S	88	110	36	50	FH-50
FH-47-Z/P	88	110	36	50	FH-51
FH-48-S/S	88	160	36	50	FH-50
FH-48-Z/P	88	160	36	50	FH-51
FH-49-S/S	88	210	36	50	FH-50
FH-49-Z/P	88	210	36	50	FH-51

**Mounting Plate** 



PRODUCT CODE	A	В	THICK- NESS	HOLE	# OF HOLES
FH-50	88	88	3	9	4
FH-51	88	88	3	9	4

S/S = Stainless Steel Z/P = Zinc Plated All measurements in mm.




#### **Stainless Steel Hinges**

FH-55 FH-56-LH FH-57-RH




FH-58-LH	FH-59-RH
FH-60-LH	FH-61-RH



FH-64 FH-66 FH-67 FH-68 FH-69




	WARRANTY					
	304 Grade Stainless Steel Flag Hinge					
PRODUCT CODE	A	В	THICKNESS	PIN		
FH-55	28	52	2	4.8		
FH-56-LH	50	75	2	4.8		
FH-57-RH	50	75	2	4.8		
	304 Grade Stainless Steel Lift Off Hinge					
PRODUCT CODE	А	В	THICKNESS	PIN		
FH-58-LH	44	50	2	4		
FH-59-RH	44	50	2	4		
FH-60-LH	50	76	2	4		
FH-61-RH	50	76	2	4		
	304 Grade Stainless Steel Continuous Hinge					
PRODUCT			THICKNER	PIN		
CODE	Α	В	THICKNESS	FIN		
	<b>A</b> 27	В 1800	0.9	3		
CODE						
CODE FH-62	27	1800	0.9	3		
CODE FH-62 FH-63	27 32	1800 1800	0.9 1.2	3		
CODE FH-62 FH-63 FH-64	27 32 38	1800 1800 1800	0.9 1.2 1.2	3 3 3 3 4.5		
CODE FH-62 FH-63 FH-64 FH-65	27 32 38 50	1800 1800 1800 1800	0.9 1.2 1.2 1.2	3 3 3 3 3		
CODE FH-62 FH-63 FH-64 FH-65 FH-66	27 32 38 50 57	1800 1800 1800 1800 1800	0.9 1.2 1.2 1.2 1.2 1.5	3 3 3 3 4.5		



PRODUCT CODE	А	В	THICKNESS	PIN
FH-55	28	52	2	4.8
FH-56-LH	50	75	2	4.8
FH-57-RH	50	75	2	4.8



PRODUCT CODE	А	В	THICKNESS	PIN
FH-58-LH	44	50	2	4
FH-59-RH	44	50	2	4
FH-60-LH	50	76	2	4
FH-61-RH	50	76	2	4




#### **Utility Lock**





Polished Chrome Utility Lock



FH-72



PRODUCT CODE	A (mm)	B (mm)
FH-71	22	22
FH-72	22	28
FH-73	22	35

FH-73





NSW 02 9627 6111 VIC 03 9357 6562 QLD 07 3881 0322

08 6305 0681 0417 731 718 0408 446 961

WA

ACT

TAS03 6344 7060NT0447 382 658FNQ07 4775 6956

## 3monkeez°

www.3monkeez.com.au sales@3monkeez.com.au