





3monkeez® MISSION STATEMENT

Put people first. Build a great product. Reinvent industry expectations.

At 3monkeez, we understand that building a great quality and reliable product is only part of the story.

We provide an experience for our customers that exceeds expectations and makes us a trusted supplier of commercial plumbing and catering products across Australia. By putting people first our highly trained team can not only provide the right product and support, they also work closely with our customers to build long-lasting and rewarding relationships.

Through our commitment to manufacturing exceptional products and offering an unmatched experience for our customers we always strive to exceed and reinvent customer expectations when it comes to dealing with 3monkeez.

GUARDIAN[®] TAPWARE









People are at the centre of everything we do. We provide industry leading customer service with a highly trained team of professionals available across Australia.



As a supplier of commercial stainless steel products for over 30 years the quality of our products matter to us. Our products will always provide creative and reliable solutions.



We are committed to providing innovative solutions that exceed customer expectations through our customer service, products, resources and unbeatable delivery times.



Contents

Pattern Trough 1	4	Practical Activities Trough	13
Pattern Trough 2	5	Practical Activities Trough Off the Shelf	14
Pattern Trough 3	6	Practical Activities Trough with 80mm Hob	15
Pattern Trough 4	7	Inset Art Trough	16
Pattern Trough 4 Off the Shelf	8	Pattern Trough PWD	17
Flushline Trough	9	Pattern Trough PWD Off the Shelf	18
Art Trough	10	Freestanding Art Trough with Bench and	
Walls End Pattern Trough	11	Lockable Lid	19
Walls End Pattern Trough Off the Shelf	12	Flat Splashbacks	20






Pattern Trough 1


M-PT-1

- Constructed from 1.2mm 304 or 316 grade satin stainless steel
- Outlet as required
- Length as required max 4000mm
- Wall brackets manufactured from square tube with pre-drilled fixing holes
- Splashback height modified on request
- Custom made products incur a lead time


Top







Side






Pattern Trough 2

M-PT-2

- Constructed from 1.2mm 304 or 316 grade satin stainless steel
- Outlet as required
- Length as required max 4000mm
- Wall brackets manufactured from square tube with pre-drilled fixing holes
- Splashback height modified on request
- Custom made products incur a lead time






Front





Side






As Required

Pattern Trough 3

M-PT-3

- Constructed from 1.2mm 304 or 316 grade satin stainless steel
- Outlet as required
- Length as required max 1500mm
- Wall brackets manufactured from square tube with pre-drilled fixing holes
- Easy to clean design
- Splashback height modified on request
- Custom made products incur a lead time




Front

--26





Side






Pattern Trough 4

M-PT-4

- Constructed from 1.2mm 304 or 316 grade satin stainless steel
- Outlet as required
- Length as required max 4000mm
- Tap holes as required
- Wall brackets manufactured from square tube with pre-drilled fixing holes
- Splashback height modified on request
- Available pre-plumbed
- 1200mm available off the shelf Centre outlet (PT-4-1200 or PT-4-1800)
- Custom made products incur a lead time




Front

46



As Required








Pattern Trough 4 Off the Shelf

PT-4-1200

PT-4-1800

- Constructed from 1.2mm 304 grade satin stainless steel
- Tap holes as required
- Wall brackets manufactured from square tube with pre-drilled fixing holes
- Available pre-plumbed
- Custom sizes available (M-PT-4)


Top



Front








PRODUCT CODE	CAPACITY
PT-4-1200	94L
PT-4-1800	145L




Flushline Trough


M-PT-5

- Constructed from 1.2mm 304 or 316 grade satin stainless steel
- Outlet as required
- Length as required max 4000mm
- Complete with fixing clips and studs
- Custom made products incur a lead time





Side







Art Trough

M-PT-6

- Constructed from 1.2mm 304 or 316 grade satin stainless steel
- Outlet as required
- Length as required max 4000mm
- Splashback height modified on request
- Wall brackets manufactured from square tube with pre drilled fixing holes
- Custom made products incur a lead time









Walls End Pattern Trough

M-PT-7


- Constructed from 1.2mm 304 or 316 grade satin stainless steel
- Tap holes as required
- Available pre-plumbed
- Length as required max 4000mm
- Outlet as required
- Radius external corners optional
- Splashback height modified on request
- Available with optional lockable lid
- Flat bar wall brackets with pre drilled fixing holes
- Custom made products incur a lead time





Side





Optional pre-plumbing available with your choice of tapware

Pillar Taps

45° Bubblers





Suggested mounting height for drinking trough:

Infant - 550mm Primary - 700mm Secondary - 900mm Suggested mounting height for wash trough:

Infant - 550mm Primary - 650mm Secondary - 700mm





Walls End Pattern Trough Off the Shelf



PT-7


- Centre outlet
- Constructed from 1.2mm 304 grade satin stainless steel
- Tap holes as required
- Available pre-plumbed
- Radius external corners
- Separate flat splashback available on request
- Wall brackets manufactured from stainless flat bar with pre-drilled fixing holes
- Custom sizes available







Side



	PRODUCT CODE	CAPACITY
	PT-7-900	900mml - 18.5L
onal pre-plumbing available with choice of tapware	PT-7-1200	1200mmL - 25L
	PT-7-1500	1500mmL - 31.5L
·	PT-7-1800	1800mmL - 38L
r Tans 45° Bubblers	PT-7-2400	2400mmL - 51.5L

Optio your o

Pillar Taps





Suggested mounting height for drinking trough:

Infant - 550mm Primary - 700mm

Infant - 550mm

Primary - 650mm

Suggested mounting height for

wash trough:

Secondary - 700mm


Secondary - 900mm




Practical Activities Trough


M-PT-8

- Constructed from 1.2mm 304 or 316 grade satin stainless steel
- Outlet as required
- Length as required max 4000mm
- Tap holes as required
- Available pre-plumbed
- Custom made products incur a lead time













Practical Activities Trough Off the Shelf




PT-8

- 50mm centre outlet
- 40mm overflow hole
- Constructed from 1.2mm 304 grade satin stainless steel
- Tap holes as required
- Available pre-plumbed









PRODUCT CODE	CAPACITY
PT-8-1200	45L
PT-8-1500	65L
PT-8-1800	78L




Suit Bubbler

80


Practical Activities Trough with 80mm Hob

M-PT-9

- Constructed from 1.2mm 304 or 316 grade satin stainless steel
- Outlet as required
- Length as required max 4000mm
- Available pre-plumbed
- Tap holes on request
- 80mm side hob for bubbler tapon left or right as required
- Custom made products incur a lead time



As Required




Top




Inset Art Trough


M-PT-10

- Constructed from 1.2mm 304 or 316 grade satin stainless steel
- Outlet as required
- Length as required max 4000mm
- Tap holes on request
- Custom made products incur a lead time
- Meets EFSG specifications









Side




Pattern Trough PWD


M-PWD

- Constructed from 1.2mm 304 and 316 grade satin stainless steel
- 150mm boxed splashback
- Length as required max 4000mm
- Outlet as required
- Tap holes as required
- Radius to external only or external and internal corners
- Available pre-plumbed
- Custom made products incur a lead time

Top



Front







Side



Optional pre-plumbing available with your choice of tapware





90° Bubblers



Suggested mounting height for wash trough:

Infant - 550mm Primary - 650mm Secondary - 700mm




Primary - 700mm Secondary - 900mm



Pattern Trough PWD Off the Shelf

PWD


- Constructed from 1.2mm 304 grade satin stainless steel
- 150mm boxed splashback
- Tap holes as required
- External and internal corners
- Available pre-plumbed
- Custom sizes available








Front





PRODUCT CODE L/H Outlet	PRODUCT CODE R/H Outlet	CAPACITY
PWD-900L	PWD-900R	38L
PWD-1200L	PWD-1200R	50.7L
PWD-1500L	PWD-1500R	63.2L
PWD-1800L	PWD-1800R	77.6L
PWD-2400L	PWD-2400R	97.9L
PWD-3000L	PWD-3000R	118L

Optional pre-plumbing available with your choice of tapware.





90° Bubblers Bib taps

Suggested mounting height for drinking trough:

Infant - 550mm Primary - 700mm Secondary - 900mm Suggested mounting height for wash trough:


Infant - 550mm Primary - 650mm Secondary - 700mm



Freestanding Art Trough with Bench and Lockable Lid


M-FPTB-1

- Constructed from 1.2mm 304 or 316 grade satin stainless steel
- Tap holes as required
- Available pre-plumbed
- Freestanding with lockable lid
- Meets EFSG specifications
















Flat Splashbacks

TROUGHS

SB-300X900

SB-300X1200

SB-300X1500

SB-300X1800 SB-300X2400

- Flat splashback Suits all troughs
- 1.2mm 304 Grade S/S
- Custom sizes or 316 grade available on request





3monkeez.com.au



02 9627 6111 NSW VIC 03 9357 6562 QLD 07 3881 0322 WA 08 6305 0681 ACT

0417 731 718 0408 446 961

TAS 03 6344 7060 NT 0447 382 658 FNQ 07 4775 6956 3monkeez

www.3monkeez.com.au sales@3monkeez.com.au